

## CONTENITORE PER TRASPORTO VACCINI RCW2



|  |   |
|--|---|
| <b>Volume lordo</b>  | 2,2 L   0,08 piedi cubi                         |
| <b>Capacità di stoccaggio del vaccino</b>                    | 0.6 L   |
| <b>Classe climatica (intervallo di temperatura ambiente)</b> | Zona calda (+ 43 ° C)                           |
| <b>Certificazioni</b>  | PIS-E4 / 53-M                                   |
| <b>Dimensioni esterne (AxLxP)</b>                            | 210 x 250 x 150 mm   8,27 x 9,84 x 5,91 pollici |
| <b>Dimensioni interne (AxLxP)</b>                            | 130 x 190 x 90 mm   5,12 x 7,48 x 3,54 pollici  |
| <b>Peso netto</b>  | 1,2 kg   2,65 libbre                            |
| <b>Peso della Spedizione</b>                                 | 2 kg  |
| <b>Materiali</b>   | Polietilene                                     |
| <b>Monitoraggio remoto</b>                                   | Non remoto   tramite Data logger                |
| <b>Vita a freddo a + 43 ° C</b>                              | 17h fino a 10 ° C                               |
| <b>Tipologia di prodotto</b>                                 | Contenitore per il trasporto del vaccino        |



**External dimensions**

|             |     |
|-------------|-----|
| Height (mm) | 210 |
| Width (mm)  | 250 |
| Depth(mm)   | 150 |

**Internal dimensions**

|                     |     |
|---------------------|-----|
| Height (mm)         | 130 |
| Width (mm)          | 190 |
| Depth (mm)          | 90  |
| Storage height (mm) | 70  |
| Storage width (mm)  | 180 |
| Storage depth (mm)  | 50  |

**Volumes**

|                         |     |
|-------------------------|-----|
| Gross volume (litres)   | 2.2 |
| Storage volume (litres) | -   |

**Ship dimensions**

|                       |      |
|-----------------------|------|
| Weight net (kg)       | 1.2  |
| Height (mm) Cardboard | 230  |
| Width (mm) Cardboard  | 285  |
| Depth (mm) Cardboard  | 160  |
| Volume (m3) Cardboard | 0.01 |
| Weight (kg) Cardboard | 2    |
| Height (mm) Wood      | -    |
| Width (mm) Wood       | -    |
| Depth (mm) Wood       | -    |
| Volume (m3) Wood      | -    |
| Weight (kg) Wood      | -    |

**Accessories**

|  |
|--|
| 2 Ice Packs of 0.3L crystal thermometer insert |
|--|

**Option**

|  |
|--|
| Testo Logger 174T/ starter set or LogTag TRID30-7R or LogTag TRED30-7R |
|--|

|                              |
|------------------------------|
| <b>Passive</b>               |
| <b>Vaccine transport box</b> |
| <b>RCW2</b>                  |

**Technical details**

|                              |   |
|------------------------------|---|
| Colour                       | blue according to RAL5015                             |
| CFC/HCFC free                | yes   |
| External / internal material | Polyethylene  |
| Insulation material          | 30 mm Polyurethane foam / Foaming agent; Cyclopentane |
| Weight fully loaded (kg)     | 2.1   |
| Required Ice Packs           | 2 x 0.3L  |
| Required Eutetics            | -   |

**Performance**

|  |                           |
|--|---------------------------|
| Hold over time at -10°C                                      | -                         |
| Hold over time at +22°C                                      | -                         |
| Hold over time at +32°C                                      | -                         |
| Hold over time at 43°C                                       | -                         |
| Cold life without lid openings +2°C to +10°C at ambient 32°C | -                         |
| Cold life without lid openings +2°C to +10°C at ambient 43°C | -                         |
| Cold life without lid openings -3°C to +10°C                 | 22h at 32°C / 17h at 43°C |
| Cold life at +43°C   | -                         |
| Warm life at -20°C   | -                         |
| Cool life at +43°C   | -                         |
| Vaccine storage capacity (litres)                            | 0.6                       |
| Climate Zone   | -                         |

**Certification**

|                             |  |
|-----------------------------|--|
| WHO test procedure          | E4 / Proc / 1                              |
| WHO specifications          | E4 / VC.1                                  |
| WHO test report             | Univalle E4/2009                           |
| PQS Code                    | -  |
| PIS Code                    | E4/53-M                                    |
| ADR/RID MARITIM IATA / ICAO | UN 4H2 / X 2.3 / S / "YYYY" B / 921-080151 |