

CONTENITORE PER TRASPORTO VACCINI RCW4



Volume lordo	8 L 0,28 piedi cubi
Capacità di stoccaggio del vaccino	3 L
Classe climatica (intervallo di temperatura ambiente)	Zona calda (+ 43 ° C)
Certificazioni	CHI PQS E004 / 002
Dimensioni esterne (AxLxP)	299 x 362 x 283 mm 11,77 x 14,25 x 11,14 pollici
Dimensioni interne (AxLxP)	186 x 260 x 156 mm 7,32 x 10,24 x 6,14 pollici
Peso netto	3,1 kg 6,83 libbre
Peso della Spedizione	4,2 kg
Materiali	Polietilene
Monitoraggio remoto	Non remoto tramite Data logger
Vita a freddo a + 43 ° C	30h18 min fino a 10 ° C
Codice PQS dell'OMS	E004 / 002
Tipologia di prodotto	Contenitore per il trasporto del vaccino

External dimensions

Height (mm)	299
Width (mm)	362
Depth (mm)	283

Internal dimensions

Height (mm)	186
Width (mm)	260
Depth (mm)	156
Storage height (mm)	157
Storage width (mm)	211
Storage depth (mm)	109

Volumes

Gross volume (litres)	8
Storage volume (litres)	3.61

Ship dimensions

Weight net (kg)	3.1
Height (mm) Cardboard	380
Width (mm) Cardboard	320
Depth (mm) Cardboard	300
Volume (m3) Cardboard	0.036
Weight (kg) Cardboard	4.2
Height (mm) Wood	-
Width (mm) Wood	-
Depth (mm) Wood	-
Volume (m3) Wood	-
Weight (kg) Wood	-

Accessories

6 Ice Packs of 0.3L 1 Ice Pack of 0.6L crystal thermometer insert small and large
--

Option

Testo Logger 174T/ starter set or LogTag TRID30-7R or LogTag TRED30-7R
--

Passive
Vaccine transport box
RCW4

Technical details

Colour	blue according to RAL5015
CFC/HCFC free	yes
External / internal material	Polyethylene
Insulation material	23-27 mm Polyurethane foam / Foaming agent; Cyclopentane
Weight fully loaded (kg)	7.3
Required Ice Packs	1 x 0.6L and 6 x 0.3L
Required Eutectics	-

Performance

Hold over time at -10°C	-
Hold over time at +22°C	-
Hold over time at +32°C	-
Hold over time at 43°C	-
Cold life without lid openings +2°C to +10°C at ambient 32°C	-
Cold life without lid openings +2°C to +10°C at ambient 43°C	-
Cold life without lid openings -3°C to +10°C	-
Cold life at +43°C	30.3h
Warm life at -20°C	12.9h
Cool life at +43°C	6.7h
Vaccine storage capacity (litres)	3
Climate Zone	-

Certification

WHO test procedure	E4 / VC01-VP.1
WHO specifications	E4 / VC01.1
WHO test report	Intertek A65524a
PQS Code	E004/002
PIS Code	-
ADR/RID MARITIM IATA / ICAO	UN 4H2 / X 9.6 / S / "YYYY" B / 921-080152